



Professional rock
pickers

Data sheet

Suspended rock picker **RS**



www.tasias.com | info@tasias.com | Tel. +34 93 808 77 57

Suspended rock picker **RS**



Features **RS** rock picker

- Quickly picks up rocks with a diameter of 20 cm to 1m from the ground.
- It is coupled to the tractor at 3 points and tilts backwards hydraulically.
- Suitable for soft, dry and ventilated terrains.
- Compact design, and all materials are robust agile and very easy to handle.
- Ideal for daily or occasional work.
- For tractors of 80 HP upwards.
- For areas with low rock density.
- Easy and quick maintenance.

Models in the RS series

We have 4 models in the RS series with different features to adapt to any task.

Models	Hydraulic Circuits	Work	Working width	Length	Height	Weight	Load	Tractor
RS-180	1	1.32 m	1.80 m	1.55 m	1.30 m	510 kg	250 kg	80 cv
RS-200	1	1.52 m	2.00 m	1.55 m	1.30 m	550 kg	300 kg	80 cv
RS-250	1	2.02 m	2.50 m	1.55 m	1.30 m	620 kg	400 kg	100 cv
RS-280	1	2.37 m	2.85 m	1.55 m	1.30 m	685 kg	500 kg	100 cv

Work tips

- **Stone size:** from 20 cm diameter.
- **Operating speed:** 1-3 km/h.
- **Working depth:** 15 cm, maximum.



TASIAS S.A | Despedregadoras profesionales

Nicolau Copèrnic, 41

Polígono Ind. Plans d'Arau

La Pobla de Claramunt, Barcelona

Tel. +34 93 808 77 57

info@tasias.com | www.tasias.com

RS Rock picker



