

Professional rock pickers

**Data sheet** 

# Rock picker for skid steer RH





## Rock picker for skid steer **RH**



### Features Rock picker for skid steer RH

- Quickly picks up rocks with diameters of 20 cm to 50 cm from the ground.
- The hydraulic introducer pushes the rocks to the bottom of the bucket, separating the soil.
- The picker is mounted on the arms of a skid steer or telescopic loader.
- Compact design, and all materials are robust agile and very easy to handle.
- Ideal for working in areas with low rock density.
- Lightweight and suitable for use on all types of ground and in all spaces.
- Easy and quick maintenance.



#### Models in the RH series

We have 2 models in the RH series with different features to adapt to any task.

Models	Hydraulic circuits	Working width	Total width	Length	Height	Weight	Load
RH-160	1	1.60 m	1.81 m	1.43 m	85 cm	450 kg	300 kg
RH-200	1	2.00 m	2.21 m	1.43 m	85 cm	570 kg	400 kg

#### Standard equipment

- Universal fast coupling for skid-steer.
- Wear-resistant material in key areas.
- High-torque hydraulic motor.
- Pressure limiting valve.

#### Work tips

- Rock size: from 20 cm to 50 cm of diameter.
- Working depth: Picks up surface rocks.



Tel. +34 93 808 77 57























