



Professional rock
pickers

[Data sheet](#)

Rock picker **TS**



www.tasias.com | info@tasias.com | Tel. +34 93 808 77 57

Rock picker **TS**



TS Features

- Picks up rocks with diameters of 20cm to 1m from the ground surface.
- High performance machine for tough tasks.
- Sideways movement.
- Compact design, easy to handle and all materials are robust.
- Quick and accurate performance.
- Picker with an optional detachable accessory.
- For tractors from 60 to 200 HP.
- Can be used on all types of ground.
- Easy and quick maintenance.

Models in the TS series

We have 8 models in the TS series with different features to adapt to any task.

Models	Brakes	Hydraulic circuits	Working width		Width	Length	Unloading height	Weight	Load	Tractor
Moveable hitch										
TS-1	No	2	1.25 m	1.55 m	4.76 m	1.47 m	1780 kg	1000 kg	60 cv	115/80
TS-3	No	2	1.50 m	1.80 m	4.76 m	1.47 m	1860 kg	3000 kg	80 cv	115/80
TS-4	No	2	2.00 m	2.30 m	5.55 m	1.70 m	3280 kg	4500 kg	100 cv	285/70
TS-5	No	2	2.00 m	2.46 m	5.67 m	1.70 m	3460 kg	5000 kg	100 cv	385/55
TS-7	No	2	2.10 m	2.48 m	6.19 m	1.93 m	4070 kg	7000 kg	140 cv	385/65
TS-9.F	Si	2	2.50 m	2.96 m	6.24 m	2.00 m	5110 kg	9000 kg	180 cv	445/65
Fixed coupling										
TS-3B	No	2	1.50 m	1.80 m	4.76 m	1.47 m	1760 kg	3000 kg	80 cv	115/80
TS-4B	No	2	2.00 m	2.30 m	5.55 m	1.70 m	3150 kg	4500 kg	100 cv	285/70

Work tips

- **Rock size:** 20 cm-1 m in diameter.
- **Operating speed:** 1-3 km/h.
- **Working depth:** 15 cm maximum.

Optional extras

- An optional and detachable supplementary grill can be installed, which decreases the separation between the bars, in order to pick up larger or smaller rocks.
- The 385/65 wheels are retreaded.



TASIAS S.A | Professional rock pickers

Nicolau Copèrnic, 41

Polígono Ind. Plans d'Arau

La Pobla de Claramunt, Barcelona

Tel. +34 93 808 77 57

info@tasias.com | www.tasias.com



