



Professional rock
pickers

[Data sheet](#)

Rock rake **RA**



www.tasias.com | info@tasias.com | Tel. +34 93 808 77 57

Rock rake

RA



Características **Rastrillo hilerador**

- Rakes rocks with diameters from 3cm to 30cm, creating rows separated by up to 6m.
- Ideal for their subsequent picking.
- All materials are robust.
- The control wheels ensure uniform and accurate work.
- For tractors of 80 HP or greater.
- Lightweight and suitable for use on all types of ground.
- Changeable spiked roller with easy and quick maintenance.

Rock rake models

We have 3 models with different features to adapt to any task.

Models	Working width	Total width working	Circulating width	Circulating length	Circulating height	Weight	Tractor Power	Wheels
R1/PC	2.50 m	3.10 m	2.32 m	4.13 m	1.47 m	880 kg	80 kg	18/7
R2/PC	3.00 m	3.60 m	2.32 m	4.62 m	1.47 m	985 kg	100 kg	18/7
R4/PC	4.00 m	4.60 m	2.32 m	5.87 m	1.47 m	1200kg	120 kg	18/7

Standard equipment

- Safety clutch.
- Chain casing protection.
- Control screen.
- Adjustable wheels for working and transport.

Work tips

- **Rock size:** Up to 30 cm diameter.
- **Work speed:** 1-3 km/h.
- **Work depth:** Rakes surface rocks.



TASIAS S.A | Professional rock pickers

Nicolau Copèrnic, 41

Polígono Ind. Plans d'Arau

La Pobla de Claramunt, Barcelona

Tel. +34 93 808 77 57

info@tasias.com | www.tasias.com



Rock rake

